Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	cutover and ("709"/$.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:38
S2	0	S1 and @ad<"01012001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:39
S3	27	S1 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:39
S4	674	mizuma.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 13:03
S5	1	mizuma.inv. and CMIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:29
S6	2	husayoshi.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:26
S7	7112	hisayoshi.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:26
S8	4	hisayoshi.inv. and CMIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/06 15:11
S9	676284	nippon.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:29
S10	20	nippon.asn. and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:31

S11	1211	709/102.ccls. or 709/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:31
S12	85482	execut$4 near5 (command$1 or code$1 or instance$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:32
S13	7995	(table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:32
S14	91	((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))) and (709/102. ccls. or 709/104.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:32
S15	0	(((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))) and (709/102. ccls. or 709/104.ccls.)) and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:33
S16	563	cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:33
S17	3	cmip and (709/102.ccls. or 709/104. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:33
S18	331	cmip and table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:34
S19	233	(cmip and table$1) and instance$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:34
S20	161	((cmip and table$1) and instance$1) and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 16:11

S21	516553	manag$4 same object$1 or class$1 or definition$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:38
S22	106219	compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:39
S23	1251	((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))) and (compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:39
S24	119	((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))) same (compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:39
S25	0	(((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))) same (compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2))) and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:39
S26	32	((compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2)) and cmip) and @ad<"19990301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:41
S27	5	(((compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2)) and cmip) and @ad<"19990301") and ((table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 15:47
S28	51	(compar$4 near5 (command$1 or request$1 or operation$1 or instance$1 or class$2)) and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 16:10
S29	4	"6292829".pn. or "5898832".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/13 16:11

S30	4	"5822523".pn. or "5530795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/06 15:11
S31	4571	resolv$3 near5 conflict$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:27
S32	344761	(instruction$1 or command$1 or instance$1 or code$1) near5 (execut$4 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:28
S33	4571	resolv$3 near5 (contention41 or conflict$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:27
S34	6156	resolv$3 near5 (contention$1 or conflict$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:27
S35	695443	nippon.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:28
S36	14	(resolv$3 near5 (contention$1 or conflict$1)) and nippon.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:28
S37	552363	(instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:08
S38	20	nippon.asn. and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:30
S39	4	hisayoshi.inv. and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:31

S40	1	mizuma.inv. and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:31
S41	34111	(table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:31
S42	3262	709/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:32
S43	650	((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3))) and 709/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:32
S44	441	((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:32
S45	31	709/10$.ccls. and (((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same (resolv$3 near5 (contention$1 or conflict$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:33
S46	0	((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:33
S47	42974	((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:34
S48	3431	(((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5) same ((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:34

S49	2	(((((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5) same ((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)))) same (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:35
S50	106	(((((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5) same ((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)))) and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:35
S51	92	((((((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5) same ((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)))) and (resolv$3 near5 (contention$1 or conflict$1))) and @ad<"19990101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:35
S52	14	(((((((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)) same compar$5) same ((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3)))) and (resolv$3 near5 (contention$1 or conflict$1))) and @ad<"19990101") and 709/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:37
S53	2	"5828842".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:38
S54	0	"5828842".pn. and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:38
S55	877652	(instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:39

S56	231935	(instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:03
S57	23	((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5)) same (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 12:58
S58	160	718/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:00
S59	8	"5519867".pn. or "5455914".pn. or "5826081".pn. or "5715472".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:00
S60	0	("5519867".pn. or "5455914".pn. or "5826081".pn. or "5715472".pn.) and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:01
S61	5	("5519867".pn. or "5455914".pn. or "5826081".pn. or "5715472".pn.) and ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:02
S62	0	709/31-32.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:02
S63	3248	709/310-329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:02

S64	35236	((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:03
S65	420	(((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5))) and 709/310-329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:03
S66	14	((((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5))) and 709/310-329.ccls.) and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:07
S67	43	"5619710".URPN.	USPAT	OR	OFF	2004/01/07 13:06
S68	8	((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3))) and "5619710".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:07
S69	0	(((table or spreadsheet) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1) near5 (execut$4 or process$3))) and "5619710".URPN.) and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:08
S70	0	"5619710".URPN. and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:08

S71	14	(((((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5))) and 709/310-329.ccls.) and (resolv$3 near5 (contention$1 or conflict$1))) and (resolv$3 near5 (contention$1 or conflict$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 13:08
S72	12	((((((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (execut$4 or process$3)) same ((instruction$1 or command$1 or instance$1 or code$1 or object$1 or request$1 or operation or operations or object or objects or class$2) near5 (map$4 or compar$5))) and 709/310-329.ccls.) and (resolv$3 near5 (contention$1 or conflict$1))) and (resolv$3 near5 (contention$1 or conflict$1))) and table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:14
S73	138	kokai.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:15
S74	0	kokai.inv. and rac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:15
S75	19	hadeyama.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:35
S76	2	"5898832".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:35
S77	0	"5898832".pn. and (compar$5 or resolv$4 or resolution$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:37

S78	1	"6292829".pn. and (compar$5 or resolv$4 or resolution$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 14:37
S79	11	barker.inv. and (telecommunication near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:37
S80	1985	racing near5 (control or decision or system or condition$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:38
S81	258	709/316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:38
S82	1	709/316.ccls. and (racing near5 (control or decision or system or condition$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:39
S83	40	(version or instance$1 or id) same (racing near5 (control or decision or system or condition$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:40
S84	323	rac$3 adj (table$1 or spreadsheet$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:41
S85	0	(rac$3 adj (table$1 or spreadsheet$1)) same (racing near5 (control or decision or system or condition$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:41
S86	4	(rac$3 adj (table$1 or spreadsheet$1)) and (racing near5 (control or decision or system or condition$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/07 15:41
S87	2	"6067545".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 13:04

S88	1	"6067545".PN. AND UPDAT$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:28
S89	25358	rac$3 near5 (unit$1 or control$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:49
S90	193	cmip same (manag$6 near5 object$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:29
S91	2	(cmip same (manag$6 near5 object$3)) and (rac$3 near5 (unit$1 or control$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:29
S92	220195	sato.inv. or kamijo.inv. or mizuma.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:33
S93	1505	719/313-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:34
S94	8168	709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:34
S95	3	(object$1 or instance) same mamag$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:35
S96	68472	(object$1 or instance) same manag$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:35
S97	115855	execut$4 near5 (command$1 or code$1 or instance$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:35

S98	10175	(table or spreadsheet$1) same (execut$4 near5 (command$1 or code$1 or instance$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:36
S99	2892	718/101-106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:37
S100	2	719/313-316.ccls. and 709/223-226. ccls. and (cmip same (manag$6 near5 object$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:37
S101	91	719/313-316.ccls. and 709/223-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:37
S102	2	(719/313-316.ccls. and 709/223-226. ccls.) and (cmip same (manag$6 near5 object$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:37
S103	27	(execut$4 near5 (command$1 or code$1 or instance$1)) and ((object$1 or instance) same manag$6) and (719/313-316.ccls. and 709/223-226. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:37
S104	4	((execut$4 near5 (command$1 or code$1 or instance$1)) and ((object$1 or instance) same manag$6) and (719/313-316.ccls. and 709/223-226. ccls.)) and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:40
S105	3	(sato.inv. or kamijo.inv. or mizuma. inv.) and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:46
S106	23	("4930071" | "5287447" | "5317742" | "5608857" | "5615112" | "5764955" | "5822569" | "5836008" | "5850428" | "5937084" | "5943650" | "5960176" | "5966707" | "5966713" | "5995959" | "6012152" | "6104835" | "6104868" | "6138154" | "6226679" | "6279087" | "6374293" | "6408302").PN.	USPAT	OR	OFF	2004/11/01 14:41

S10 7	171	cmip same (translat$4 or conversion$1 or convert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:47
S10 8	1612	370/466-467.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:47
S10 9	5	370/466-467.ccls. and (cmip same (translat$4 or conversion$1 or convert$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:47
S11 0	175	m adj get	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:48
S11 1	0	(m adj get) and 370/466-467.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:48
S11 2	1	(m adj get) and 719/313-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:48
S11 3	6247	(race or racing) near3 (condition or system or unit$1 or control$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:50
S11 4	12	((race or racing) near3 (condition or system or unit$1 or control$1)) and 719/313-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/01 14:50
S13 7	724	cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:55
S13 8	0	(race or racing) same S137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:56

S13 9	4	"5692193".pn. or "5367635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:56
S14 0	1	S139 and (\racing or race)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:56
S14 1	1	S139 and (racing or race)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:57
S14 2	60626	cmip or cmis or snmp or osi or tcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 11:57
S14 3	14366	(get adj request) or (get adj next) or (get adj response) or (set adj request) or (m adj set) or (m adj action) or (m adj create) or (m adj delete) or (m adj cancel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:00
S14 4	10	S143 same (race or racing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:44
S14 5	33543	(manag$5 near3 (object$1 or instance$1)) or mib$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:45
S14 6	630	command$1 near3 (conflict$3 or rivalry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:46
S14 7	744	command$1 near3 (conflict$3 or rivalr$3 or contention$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:47
S14 8	27	S147 and S146 and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:47

S149	724	cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:47
S150	2	S149 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:47
S151	2	S149 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:48
S152	473	S145 and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:48
S153	84	S152 and (conflict$1 or contention$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:49
S154	31	S153 and @ad<"19980508"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:14
S155	34	S143 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:14
S156	12	S155 and @ad<"19980508"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:23
S157	0	719718/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:19
S158	4218	718/10$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:20

S15 9	131602	(identical or duplicate or duplicant or new$2) near3 (object$1 or instance$1 or task$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:22
S16 0	0	719-314-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:22
S16 1	0	719314-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:22
S16 2	1176	719/314-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:22
S16 3	134	S162 and S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:22
S16 4	1	S163 and S159 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:23
S16 5	24	S162 and S137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:23
S16 6	13	S165 and @ad<"19980508"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:48
S16 7	218683	sato.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:48
S16 8	3	S167 and cmip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 13:54

S16 9	7	"664978".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:09
S17 0	2	"6664978".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:09
S17 1	1	S170 and gateway$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:26
S17 2	337475	bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:10
S17 3	0	S172 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:10
S17 4	1	S172 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:10
S17 5	1	S174 and poll$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:15
S17 6	0	(intelligent adj gateway) and vaughn. xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:16
S17 7	16	asta.xp. and vaughn.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:16
S17 8	2	S177 and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:17

S179	2	gateway.clm. and vaughn.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:18
S180	5103	server near2 gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:19
S181	73	S180 with advantage$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:23
S182	0	interchangeable near3 gateway near3 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:20
S183	0	interchangeable with gateway with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:20
S184	1	S170 and router$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:23
S185	138	bridge$1 near5 poll$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:27
S186	0	S185 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:27
S187	213	bridge$1 with poll$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:27
S188	0	S187 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:27

S18 9	2	"6047279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:27
S19 0	0	S189 and poll43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:28
S19 1	1	S189 and poll$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:46
S19 2	1073	(random adj3 generator$1) near4 (queu$3 or buffer$3 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:47
S19 3	1	S192 same (survey$1 or poll$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:47
S19 4	30480	"705"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:47
S19 5	36	S192 and S194	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:48
S19 6	5	survey adj (queu$3 or buffer$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 15:51
S19 7	347	random$3 near5 (pick$3 or select$4 or choos$3) near5 (buffer$1 or queu$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:49
S19 8	15	S197 and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:49

S19 9	1	vaughn.xa. and ghost$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 15:58
S20 0	4	"6480885".pn. or "6643652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 15:58